

KMP BRAND[®]
Worldwide

KMP VALVES

INCONEL 751

- » **EXTREME HEAT RESISTANCE**
- » **CORROSION & OXIDATION PROTECTION**
- » **SUPERIOR STRENGTH-TO-WEIGHT**
- » **LONGER LIFESPAN, LOWER COST OVER TIME**
- » **PROVEN IN MOTORSPORT & AEROSPACE**



Exceptional
Service



Fast
Shipping



Global
Distribution



Premium
Quality

For our full engine range visit:
www.kmpbrand.com



INCONEL VALVES

Part Number	Product Line	Engine	Valve Type	Head Diameter	Stem Diameter	Overall Length	Angle	Material
224-3028	Caterpillar®	C11, C13	Inlet	44.5mm	9.448mm	188.25mm	60°	Head – Inconel 751
248-1467	Caterpillar®	C11, C13	Exhaust	41.55mm	9.443mm	187mm	45°	Head – Inconel 751
490-1728	Caterpillar®	C9, C9.3	Exhaust	37.5mm	8.005mm	149.5mm	44°	Head – Inconel 751
4089761	Cummins®	QSC8.3	Inlet	38mm	7.975mm	137.8mm	30°	Head – Inconel 751
5259420	Cummins®	QSL9	Inlet	38mm	7.97mm	137.75mm	60°	Head – Inconel 751
2881811	Cummins®	QSK 60, QSK19, QSK45	Exhaust	55.3mm	10.5mm	223.6mm	60°	Head – Inconel 751
3802481	Cummins®	4ISBE, 6ISBE	Exhaust	41.95mm	7.968mm	130.6mm	45°	Head – Inconel 751
3803528	Cummins®	KT19, KT38, KT50, QSK19, QSK38, QSK50	Exhaust	56.4mm	12.57mm	191.7mm	30°	Head – Inconel 751
4089761	Cummins®	QSC8.3	Exhaust	38mm	7.975mm	137.8mm	30°	Head – Inconel 751
4089762	Cummins®	QSC8.3	Exhaust	38mm	7.975mm	137.8mm	45°	Head – Inconel 751
5259419	Cummins®	QSL9	Exhaust	38mm	7.975mm	137.8mm	45°	Head – Inconel 751
R532049	John Deere®	2130, 2130, 4045HL, 4045HP, 4045HTJ, 5100M, 6068HDW, 6068HT	Exhaust	35.5mm	6.98mm	135.45mm	30°	Head – Inconel 751
RE557891	John Deere®	3029H, 3029T PowerTech, 4045H PowerTech, 4045T PowerTech, 6068H PowerTech, 6068T PowerTech, 6081H	Exhaust	36mm	6.985mm	135.45mm	30°	Head – Inconel 751
6746-41-4120	Komatsu®	SAA6D114E-5A/B/C (BUILD 9I), SAA6D114E-6A/B/C (BUILD 9J)	Inlet	38mm	7.97mm	137.75mm	60°	Head – Inconel 751
6240-41-4220	Komatsu®	SA6D170E-3A-7 & SAA6D170E-3F-8 (BUILD 15G), SAA6D170E-5 (BUILD 15H), SAA6D170E-7 (BUILD 38), SAA6D170E-7A (BUILD 39), SAA6D170E-7B (BUILD 40), SAA6D170E-7C (BUILD 41), SAA6D170E-7D (BUILD 42)	Exhaust	59mm	11.9mm	247mm	45°	Head – Inconel 751
6746-41-4110	Komatsu®	SAA6D114E-5A/B/C (BUILD 9I), SAA6D114E-6A/B/C (BUILD 9J)	Exhaust	38mm	7.96mm	137.75mm	45°	Head – Inconel 751

JOHN DEERE® 6090 POWERTECH

Part Number	Product Line	Engine	Valve Type	Head Diameter	Stem Diameter	Overall Length	Angle	Material
4899632	NEF®	NEF 45 TIER 2, NEF 45 TIER 3, NEF 67 TIER 2, NEF 67 TIER 3	Exhaust	41.95mm	7.968mm	130.6mm	45°	Head – Inconel 751
CH12626	Perkins®	2206D-E13TA(PK3S), 2206TAG2(TGBF), 2206TAG3(TGDF), 2206TAG5(TGFF), 2206TAG6(TGHF)	Inlet	44.5mm	9.448mm	188.25mm	60°	Head – Inconel 751
CH12627	Perkins®	2206D-E13TA(PK3S), 2206TAG2(TGBF), 2206TAG3(TGDF), 2206TAG5(TGFF), 2206TAG6(TGHF)	Exhaust	41.6mm	9.448mm	187.25mm	45°	Head – Inconel 751



KMP NETWORK OF GLOBAL DISTRIBUTION CENTRES



FOR FAST, EFFICIENT DELIVERY




Exceptional Service



Fast Shipping



Global Distribution



Premium Quality

For our full engine range visit:
www.kmpbrand.com

